


Features

- 1) Guaranteed the same rated power as one size larger product by changing the design of the resistive element.
- 2) Circuit space can be saved (reducing the area by about 60% by replacing 0603 size with 0402 size)



Part No.	Si	ze	Rated power	Rated ambient temperature	Rated terminal temperature	Limiting element voltage	Resistance tolerance	Temperature coefficient	Resista	nce range	Operating temperature range	Automotive grade Available (AEC-Q200)				
	(mm)	(inch)	(W)	(°C)	(°C)	(V)	(%)	(ppm/°C)	(Ω)	(°C)	, ,				
							F (±1%)	±100	10≦ R ≦10M	(E24/96 series)						
MCR01S	1005	0402	0.1	70	_	75	J (±5%)	±400	1≦R<10	(E24 series)	-55 ∼ +155	Yes				
WICKUIS	1005	0402	0.1	70	-		J (±5%)	±200	10≦ R ≦10M	(E24 series)	-55 /~ +155	res				
							(Jumper type) Resista	ance : Max . 50mΩMax., Rate	ed current : 1.5A							
							F (±1%)	±100	10≦ R ≦10M	(E24/96 series)						
MCR03S	1608	0603	0.125	70		150	J (±5%)	±400	1.0≦ R <10	(E24 series)	-55 ∼ +155	Yes				
WCKU33	1000	0003	0.123	70	-		J (±5%)	±200	10≦ R ≦10M	(E24 series)	1 33 1 4 133	165				
								ance: Max. 50mΩMax., Rat								
							F (±1%)	±250	1.0≦ R <10	(E24 series)]					
						200	F (±1%)	±100	10≦ R ≦2.2M	(E24/96 series)	<u> </u>					
MCR10S	2012	0805	0.25	70	-	200	J (±5%)	±400	1.0≦ R <10	(E24 series)	-55 ∼ +155	Yes				
							J (±5%)	±200	10≦ R ≦10M	(E24 series)	1					
								ance : Max . 50mΩMax., Rate								
							F (±1%)	±250		(E24 series)	1					
						200	F (±1%)	±100	10≦R≦2.2M	(E24/96 series)						
MCR18S	3216	1206	0.4	70	- 1	-	-	-		J (±5%)	±400	1.0≦ R <10	(E24 series)	-55 ∼ +155	Yes	
								J (±5%)	±200	10≦ R ≦10M	(E24 series)		_			
								ince : Max . 50mΩMax., Rate								
							F (±1%)	±200	1≦ R<10	(E24/96 series)	1					
L						250	F (±1%)	+50/-150 ⁻¹ ±100 ⁻²	10≦ R <27	(E24/96 series)	-55 ∼ +155 Ye					
W MCR50S	5025	2010	1.5	70	105	230	F (±1%)	±100	27≦R≦2.2M	(E24/96 series)		Yes				
							J (±5%)	±400	1≦ R <10	(E24 series)						
							J (±5%)	±200	10≦ R ≦4.7M	(E24 series)						
							(Jumper type) Resist	ance: Max. 50mΩMax., Rat	ed current : 4A							
							F (±1%)	±200	1≦ R<10	(E24/96 series)]					
						250	F (±1%)	+50/-150 ⁻¹ ±100 ⁻²	10≦ R <27	(E24/96 series)		+155 Yes				
MCR100S	6432	2512	2	70	105	250	F (±1%)	±100	27≦R≦2.2M	(E24/96 series)	-55 ∼ +155					
							J (±5%)	±400	1≦ R <10	(E24 series)]					
							J (±5%)	±200	10≦ R ≦4.7M	(E24 series)	1					
							(Jumper type) Resist	ance: Max. 50mΩMax., Rat	ed current : 4A							

Design and specifications are subject to change without notice. Carefully check the specification sheet supplied with the product before using or ordering it.

E24: Standard products, E96: Build to order

Rated voltage is determined from the following.

When rated voltage exceeds the limiting element voltage, the limiting element voltage shall be the rated voltage.

- *1 : Measurement +25°C/-55°C
- *2 : Measurement +25°C/+125°C

Part number description

10S EQP 1R00 **MCR**

Part No.	ı
MCR	ı
General Purpose Chip Resistors	

Size	(mm)	[inch]
01S	(1005)	[0402]
03S	(1608)	[0603]
10S	(2012)	[0805]
18S	(3216)	[1206]
50S	(5025)	[2010]
100S	(6432)	[2512]

Packa	Packaging specifications								
Part No.	Code Packaging specifications		Quantity / Reel						
MCR01S	MQP	Paper tape (2mmPitch)	5,000						
MCR03S	EQP Paper tape (4mmPitch)		5,000						
MCR10S	EQP	Paper tape (4mmPitch)	5,000						
MCR18S	EQP	Paper tape (4mmPitch)	5,000						
MCR50S	JQP	Embossed tape (4mmPitch)	4,000						
MCR100S	JQP	Embossed tape (4mmPitch)	4,000						


Packa	ging	specifications of	ode	Resistance tolerance
Part No.	Code	Packaging specifications	Quantity / Reel	F (±1%) J (±5%) (Including jumper
ICR01S	MQP	Paper tape (2mmPitch)	5,000	
MCR03S	EQP	Paper tape (4mmPitch)	5,000	
ICR10S	EQP	Paper tape (4mmPitch)	5,000	
ICR18S	EQP	Paper tape (4mmPitch)	5,000	
ACR50S	JQP	Embossed tape	4.000	

	Special
	part code
	L(1≦R<10) ^{*3}
	*3: 10S/18S F class
•	50S/100S F/J class

	Nominal resistance										
1	Re	Resistance code, 3 or 4 digits.									
l	OC	0 denotes j	uı	mper typ	e.						
l	Resistance Resistance										
		tolerance		cc	ode						
		F	:	4 digits							
		J	:	3 digits							
	E)	<)									
		1Ω =	=	1R00	(±1%)						
				1R0	(±5%)						
		9.1Ω =	=	9R10	(±1%)						
				9R1	(±5%)						
		10Ω =	=	10R0	(±1%)						

100 $1M\Omega = 1004 (\pm 1\%)$ 105 (±5%)

•Chip resistor dimensions and markings ■MCR01S/03S/10S/18S/50S/100S




<Marking method> No marking

(Unit: mm)

Part No.	Type code	(mm)	(inch)	L	W	t	а	b
MCR01S	MQP	1005	0402	1.00±0.05	0.50±0.05	0.35±0.05	0.20±0.10	0.25+0.05 -0.10
MCR03S	EQP	1608	0603	1.60±0.10	0.80±0.10	0.45±0.10	0.30±0.20	0.30±0.20
MCR10S	EQP	2012	0805	2.00±0.10	1.25±0.10	0.55±0.10	0.40±0.20	0.40±0.20
MCR18S	EQP	3216	1206	3.20+0.15 -0.20	1.60±0.15	0.55±0.10	0.50±0.25	0.50±0.25
MCR50S	JQP	5025	2010	5.00±0.15	2.50±0.15	0.55±0.15	0.60±0.25	0.60±0.25
MCR100S	JQP	6432	2512	6.40±0.15	3.15±0.15	0.55±0.15	0.60±0.25	1.00±0.25

•Land pattern example



(Unit: mm)

Dimensions Part No.	А	В	С	D
MCR01S	0.50	1.30	0.50	0.40
MCR03S	1.00	2.00	0.80	0.50
MCR10S	1.20	2.60	1.15	0.70
MCR18S	2.20	4.00	1.50	0.90
MCR50S	3.80	6.00	2.30	1.10
MCR100S	5.10	8.10	3.00	1.50



MCRS series Datasheet

Derating curve

■MCR01S/03S/10S/18S

For resistors operated at the ambient temperature in excess 70°C, the load shall be derated in accordance with Fig.1.


■MCR50S/100S

For resistors operated at the ambient temperature in excess 70°C or terminal temperature* in excess the rated terminal temperature, load shall be derated in accordance with Fig.1 and Fig.2.

*4: The measurement part of terminal temperature is fillet's surface with load.


Fig.1< Ambient temperature>

MCR01S/03S/10S/18S/50S/100S



Ambient temperature Ta (°C)

Fig.2< Terminal temperature>
■MCR50S/100S





MCRS series

Characteristics

Resistance See "Products list" 20°C	Took items	Guarante	ed value	Test con ditions		
Variation of resistance with temperatureSee "Products list"Measurement : $\pm 25/\pm 125^{\circ}$ C(MCR01S/03S/10S/18S) : $\pm 25/\pm 55^{\circ}$ C, $\pm 25/\pm 125^{\circ}$ C(MCR50S/100S)Overload $\pm (2.0\% + 0.1\Omega)$ MAX. $50m\Omega$ Test voltage is the smaller one of ① or ② ①Rated voltage(current)×2.5 ②Maximum overload voltage* ②Maximum overload voltage* Test time : $2s(MCR01S/03S/10S/18S)$ Test time : $5s(MCR50S/100S)$ SolderabilityA new uniform coating of minimum of 95% of the surface being immersed and no soldering damage.Rosin-ethanol solution(25% mass) Soldering condition : $245\pm 5^{\circ}$ C Duration of immersion : $2.0\pm 0.5s$ Resistance to soldering heat $\pm (1.0\% + 0.05\Omega)$ No remarkable abnormality on the appearance.MAX. $50m\Omega$ MAX. $50m\Omega$ Soldering condition : $260\pm 5^{\circ}$ C Duration of immersion : $10\pm 1s$ Rapid change of temperature $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ Test temp. : -55° C $\sim +125^{\circ}$ C 1,000cyclesDamp heat, steady state $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ 85° C, 85% (Relative humidity) Test time : 1,000hEndurance at 70° C $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ Rated voltage(current), 70° C $\pm 3^{\circ}$ C $1.5h:ON - 0.5h:OFF$ Test time : 1,000hEndurance $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ 155°C	rest items	Resistor type Jumper type		Test conditions		
with temperature $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Resistance	See "Prod	ducts list"	20°C		
Overload $\pm (2.0\% + 0.1\Omega)$ MAX. $50m\Omega$ Test voltage is the smaller one of ① or ② ① Rated voltage(current) × 2.5 ② Maximum overload voltage '5 Test time : 2s(MCR01S/03S/10S/18S) Test time : 5s(MCR50S/100S) Solderability A new uniform coating of minimum of 95% of the surface being immersed and no soldering damage. Soldering condition : $245\pm5^{\circ}$ C Duration of immersion : 2.0 ± 0.5 s Resistance to soldering heat $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ Soldering condition : $260\pm5^{\circ}$ C Duration of immersion : 10 ± 1 s Rapid change of $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ Test temp. : -55° C \sim +125 $^{\circ}$ C 1,000cycles temperature Damp heat, steady state $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ 85°C, 85%(Relative humidity) Test time : 1,000h Endurance $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ Rated voltage(current), 70° C $\pm3^{\circ}$ C 1.5h:ON -0.5 h:OFF Test time : 1,000h	Variation of resistance	See "Prod	ducts list"	Measurement: +25/+125°C(MCR01S/03S/10S/18S)		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	with temperature			: +25/-55°C,+25/+125°C(MCR50S/100S)		
	Overload	$\pm (2.0\% \pm 0.1\Omega)$	MAX. 50mΩ	Test voltage is the smaller one of ① or ②		
Test time: $2s(MCR01S/03S/10S/18S)$ Test time: $5s(MCR50S/100S)$ Solderability A new uniform coating of minimum of 95% of the surface being immersed and no soldering damage. Resistance to soldering heat Rapid change of temperature Damp heat, steady state $\pm (3.0\% + 0.1\Omega)$ Endurance $\pm (3.0\% + 0.1\Omega)$ Findurance $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ Test time: $2s(MCR01S/03S/10S/18S)$ Test time: $5s(MCR50S/100S)$ Rosin-ethanol solution(25% mass) Soldering condition: $245\pm5^{\circ}C$ Duration of immersion: $2.0\pm0.5S$ Test temp: $250\pm5^{\circ}C$ Duration of immersion: $10\pm1S$ Test temp: $250\pm5^{\circ}C$ Test temp: $250\pm5^{\circ}C$ Test temp: $250\pm5^{\circ}C$ Test temp: $250\pm5^{\circ}C$ Test time: $250\pm5^{\circ}C$				①Rated voltage(current)×2.5		
Test time: $5s(MCR50S/100S)$ Solderability A new uniform coating of minimum of 95% of the surface being immersed and no soldering damage. Resistance to soldering heat $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				②Maximum overload voltage*5		
Solderability A new uniform coating of minimum of 95% of the surface being immersed and no soldering damage. Resistance to soldering				Test time : 2s(MCR01S/03S/10S/18S)		
surface being immersed and no soldering damage. Soldering condition: $245\pm5^{\circ}\text{C}$ Duration of immersion: $2.0\pm0.5\text{s}$ Resistance to soldering heat $\pm(1.0\%+0.05\Omega)$ MAX. $50\text{m}\Omega$ Soldering condition: $260\pm5^{\circ}\text{C}$ Duration of immersion: $10\pm1\text{s}$ Rapid change of temperature $\pm(1.0\%+0.05\Omega)$ MAX. $50\text{m}\Omega$ Test temp.: $-55^{\circ}\text{C} \sim +125^{\circ}\text{C}$ 1,000cycles $\pm(1.0\%+0.1\Omega)$ MAX. $100\text{m}\Omega$ 85°C, 85% (Relative humidity) Test time: 1,000h Rated voltage(current),70°C $\pm3^{\circ}\text{C}$ 1.5h:ON ±0.5 h:OFF Test time: 1,000h Endurance $\pm(3.0\%+0.1\Omega)$ MAX. $100\text{m}\Omega$ MAX. $100\text{m}\Omega$ 155°C		·		Test time: 5s(MCR50S/100S)		
Resistance to soldering $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ Soldering condition: 249 ± 3 C Duration of immersion: 2.0 ± 0.5 s Resistance to soldering $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ Soldering condition: $260\pm 5^{\circ}$ C Duration of immersion: 10 ± 1 s Rapid change of $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ Test temp.: -55° C $\sim +125^{\circ}$ C 1,000cycles temperature Damp heat, steady state $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ 85°C, 85% (Relative humidity) Test time: 1,000h Endurance at 70° C $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ Rated voltage(current), 70° C $\pm 3^{\circ}$ C 1.5h:ON $- 0.5$ h:OFF Test time: 1,000h Endurance $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ 155°C	-	· ·		Rosin-ethanol solution(25% mass)		
Resistance to soldering heat $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ Soldering condition: $260\pm 5^{\circ}\text{C}$ No remarkable abnormality on the appearance. Duration of immersion: $10\pm 1\text{s}$ Test temp.: $-55^{\circ}\text{C} \sim +125^{\circ}\text{C}$ 1,000cycles temperature Damp heat, steady state $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ 85°C, 85%(Relative humidity) Test time: 1,000h Endurance at 70°C $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ Rated voltage(current), $70^{\circ}\text{C} \pm 3^{\circ}\text{C}$ 1.5h:ON $- 0.5\text{h:OFF}$ Test time: 1,000h Endurance $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ 155°C	!	surface being immersed and	I no soldering damage.	Soldering condition: 245±5°C		
heat No remarkable abnormality on the appearance. Duration of immersion: $10\pm1s$ Rapid change of temperature $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ Test temp.: $-55^{\circ}C \sim +125^{\circ}C$ 1,000cycles $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ 85°C, 85%(Relative humidity) Test time: 1,000h Endurance at $70^{\circ}C$ $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ Rated voltage(current), $70^{\circ}C\pm3^{\circ}C$ 1.5h:ON $-$ 0.5h:OFF Test time: 1,000h Endurance $\pm (3.0\% + 0.1\Omega)$ MAX. $100m\Omega$ 155°C				Duration of immersion: 2.0±0.5s		
Rapid change of temperature $\pm (1.0\% + 0.05\Omega)$ $\pm $	Resistance to soldering	$\pm (1.0\% \pm 0.05\Omega)$	MAX. 50mΩ	Soldering condition: 260±5°C		
temperature	heat	No remarkable abnorma	ality on the appearance.	Duration of immersion: 10±1s		
		\pm (1.0% +0.05Ω) MAX. 50mΩ		Test temp. : -55°C∼+125°C 1,000cycles		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Damp heat, steady state	±(3.0%+0.1Ω)	MAX. 100mΩ	85°C, 85%(Relative humidity)		
Endurance at 70°C 1.5h:ON $-$ 0.5h:OFF Test time : 1,000h Endurance $\pm (3.0\% + 0.1\Omega)$ MAX. $100\text{m}\Omega$ 155°C				Test time: 1,000h		
		±(3.0% + 0.1Ω)	MAX. 100mΩ	Rated voltage(current),70°C±3°C		
Endurance $\pm (3.0\% + 0.1\Omega)$ MAX. $100 \text{m}\Omega$ $155 ^{\circ}\text{C}$	Endurance at 70°C			1.5h:ON – 0.5h:OFF		
				Test time: 1,000h		
	Endurance	±(3.0% + 0.1Ω)	MAX. 100mΩ	155°C		
Test time : 1,000h				Test time: 1,000h		
Resistance to solvent $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ 23 $\pm 5^{\circ}$ C, , Immersion cleaning, 5 ± 0.5 min	Resistance to solvent	$\pm (1.0\% \pm 0.05\Omega)$	MAX. 50mΩ	23±5°C, , Immersion cleaning, 5±0.5min		
Solvent: 2-propanol				Solvent: 2-propanol		
Bend strength of the end $\pm (1.0\% + 0.05\Omega)$ MAX. $50m\Omega$ Endurance with 90mm width	<u> </u>	±(1.0% +0.05Ω)	MAX. 50mΩ	Endurance with 90mm width		
face plating Deflection : 3mm (MCR01S/03S/10S/18S)	face plating			Deflection: 3mm (MCR01S/03S/10S/18S)		
Without mechanical damage such as breaks. Deflection: 1mm (MCR50S/100S)		Without mechanical da	mage such as breaks.	Deflection: 1mm (MCR50S/100S)		


Compliance Standards: IEC 60115-1 / IEC 60115-8 JIS C 5201-1 / JIS C 5201-8

^{*5} Maximum overload voltage (Test voltage)

MCR01S	MCR03S	MCR10S	MCR18S	MCR50S	MCR100S
150V	300V	400V	400V	500V	500V

MCRS series Datasheet

•Tape dimensions ■Paper tape




Part No.	Type code	W	F	E	A0	В0
MCR01S	MQP	8.0±0.3	3.5±0.05	1.75±0.1	0.7±0.1	1.2±0.1
MCR03S	EQP	8.0±0.3	3.5±0.05	1.75±0.1	1.1±0.1	1.9±0.1
MCR10S	EQP	8.0±0.3	3.5±0.05	1.75±0.1	1.65+0.2 -0.1	2.4+0.2 -0.1
MCR18S	EQP	8.0±0.3	3.5±0.05	1.75±0.1	1.95+0.1 -0.05	3.5+0.15 -0.05

(Unit: mm)

Part No.	Type code	D0	P0	P1	P2	T2
MCR01S	MQP	Ф1.5+0.1 0	4.0±0.1	2.0±0.05	2.0±0.05	MAX1.1
MCR03S	EQP	Ф1.5+0.1 0	4.0±0.1	4.0±0.1	2.0±0.05	MAX1.1
MCR10S	EQP	Ф1.5+0.1 0	4.0±0.1	4.0±0.1	2.0±0.05	MAX1.1
MCR18S	EQP	Ф1.5+0.1 0	4.0±0.1	4.0±0.1	2.0±0.05	MAX1.1

■Embossed tape



(Unit: mm)

Part No.	Type code	W	F	E	A0	В0
MCR50S	JQP	12.0±0.3	5.5±0.05	1.75±0.1	3.4±0.2	5.6±0.2
MCR100S	JQP	12.0±0.3	5.5±0.05	1.75±0.1	3.5±0.2	6.7±0.2


Part No.	Type code	D0	P0	P1	P2	К
MCR50S	JQP	Ф1.5+0.1 0	4.0±0.1	4.0±0.1	2.0±0.05	MAX1.1
MCR100S	JQP	Ф1.5+0.1 0	4.0±0.1	4.0±0.1	2.0±0.05	MAX1.1




•Reel dimensions

Using two kinds of reels for taping.

①MCR01S/03S/10S/18S



②MCR50S/100S



(Unit: mm)

Part No.	А	В	С	D
MCR01S				
MCR03S			9 +1.0	
MCR10S	Ф180 0 -1.5	Ф60 +1.0	0	Ф13±0.2
MCR18S		0		
MCR50S			13 +1.0	
MCR100S			0	

Notice

Precaution on using ROHM Products

1. If you intend to use our Products in devices requiring extremely high reliability (such as medical equipment (Note 1), aircraft/spacecraft, nuclear power controllers, etc.) and whose malfunction or failure may cause loss of human life, bodily injury or serious damage to property ("Specific Applications"), please consult with the ROHM sales representative in advance. Unless otherwise agreed in writing by ROHM in advance, ROHM shall not be in any way responsible or liable for any damages, expenses or losses incurred by you or third parties arising from the use of any ROHM's Products for Specific Applications.

(Note1) Medical Equipment Classification of the Specific Applications

(
JAPAN	USA	EU	CHINA
CLASSⅢ	CLASSIII	CLASS II b	CLASSⅢ
CLASSIV	CLASSIII	CLASSⅢ	CLASSIII

- 2. ROHM designs and manufactures its Products subject to strict quality control system. However, semiconductor products can fail or malfunction at a certain rate. Please be sure to implement, at your own responsibilities, adequate safety measures including but not limited to fail-safe design against the physical injury, damage to any property, which a failure or malfunction of our Products may cause. The following are examples of safety measures:
 - [a] Installation of protection circuits or other protective devices to improve system safety
 - [b] Installation of redundant circuits to reduce the impact of single or multiple circuit failure
- 3. Our Products are not designed under any special or extraordinary environments or conditions, as exemplified below. Accordingly, ROHM shall not be in any way responsible or liable for any damages, expenses or losses arising from the use of any ROHM's Products under any special or extraordinary environments or conditions. If you intend to use our Products under any special or extraordinary environments or conditions (as exemplified below), your independent verification and confirmation of product performance, reliability, etc, prior to use, must be necessary:
 - [a] Use of our Products in any types of liquid, including water, oils, chemicals, and organic solvents
 - [b] Use of our Products outdoors or in places where the Products are exposed to direct sunlight or dust
 - [c] Use of our Products in places where the Products are exposed to sea wind or corrosive gases, including Cl₂, H₂S, NH₃, SO₂, and NO₂
 - [d] Use of our Products in places where the Products are exposed to static electricity or electromagnetic waves
 - [e] Use of our Products in proximity to heat-producing components, plastic cords, or other flammable items
 - [f] Sealing or coating our Products with resin or other coating materials
 - [g] Use of our Products without cleaning residue of flux (Exclude cases where no-clean type fluxes is used. However, recommend sufficiently about the residue.); or Washing our Products by using water or water-soluble cleaning agents for cleaning residue after soldering
 - [h] Use of the Products in places subject to dew condensation
- 4. The Products are not subject to radiation-proof design.
- 5. Please verify and confirm characteristics of the final or mounted products in using the Products.
- 6. In particular, if a transient load (a large amount of load applied in a short period of time, such as pulse, is applied, confirmation of performance characteristics after on-board mounting is strongly recommended. Avoid applying power exceeding normal rated power; exceeding the power rating under steady-state loading condition may negatively affect product performance and reliability.
- 7. De-rate Power Dissipation depending on ambient temperature. When used in sealed area, confirm that it is the use in the range that does not exceed the maximum junction temperature.
- 8. Confirm that operation temperature is within the specified range described in the product specification.
- 9. ROHM shall not be in any way responsible or liable for failure induced under deviant condition from what is defined in this document.

Precaution for Mounting / Circuit board design

- 1. When a highly active halogenous (chlorine, bromine, etc.) flux is used, the residue of flux may negatively affect product performance and reliability.
- 2. In principle, the reflow soldering method must be used on a surface-mount products, the flow soldering method must be used on a through hole mount products. If the flow soldering method is preferred on a surface-mount products, please consult with the ROHM representative in advance.

For details, please refer to ROHM Mounting specification

Precautions Regarding Application Examples and External Circuits

- 1. If change is made to the constant of an external circuit, please allow a sufficient margin considering variations of the characteristics of the Products and external components, including transient characteristics, as well as static characteristics.
- You agree that application notes, reference designs, and associated data and information contained in this document are presented only as guidance for Products use. Therefore, in case you use such information, you are solely responsible for it and you must exercise your own independent verification and judgment in the use of such information contained in this document. ROHM shall not be in any way responsible or liable for any damages, expenses or losses incurred by you or third parties arising from the use of such information.

Precaution for Electrostatic

This Product is electrostatic sensitive product, which may be damaged due to electrostatic discharge. Please take proper caution in your manufacturing process and storage so that voltage exceeding the Products maximum rating will not be applied to Products. Please take special care under dry condition (e.g. Grounding of human body / equipment / solder iron, isolation from charged objects, setting of lonizer, friction prevention and temperature / humidity control).

Precaution for Storage / Transportation

- 1. Product performance and soldered connections may deteriorate if the Products are stored in the places where:
 - [a] the Products are exposed to sea winds or corrosive gases, including Cl₂, H₂S, NH₃, SO₂, and NO₂
 - [b] the temperature or humidity exceeds those recommended by ROHM
 - [c] the Products are exposed to direct sunshine or condensation
 - [d] the Products are exposed to high Electrostatic
- 2. Even under ROHM recommended storage condition, solderability of products out of recommended storage time period may be degraded. It is strongly recommended to confirm solderability before using Products of which storage time is exceeding the recommended storage time period.
- 3. Store / transport cartons in the correct direction, which is indicated on a carton with a symbol. Otherwise bent leads may occur due to excessive stress applied when dropping of a carton.
- 4. Use Products within the specified time after opening a humidity barrier bag. Baking is required before using Products of which storage time is exceeding the recommended storage time period.

Precaution for Product Label

A two-dimensional barcode printed on ROHM Products label is for ROHM's internal use only.

Precaution for Disposition

When disposing Products please dispose them properly using an authorized industry waste company.

Precaution for Foreign Exchange and Foreign Trade act

Since concerned goods might be fallen under listed items of export control prescribed by Foreign exchange and Foreign trade act, please consult with ROHM in case of export.

Precaution Regarding Intellectual Property Rights

- 1. All information and data including but not limited to application example contained in this document is for reference only. ROHM does not warrant that foregoing information or data will not infringe any intellectual property rights or any other rights of any third party regarding such information or data.
- 2. ROHM shall not have any obligations where the claims, actions or demands arising from the combination of the Products with other articles such as components, circuits, systems or external equipment (including software).
- 3. No license, expressly or implied, is granted hereby under any intellectual property rights or other rights of ROHM or any third parties with respect to the Products or the information contained in this document. Provided, however, that ROHM will not assert its intellectual property rights or other rights against you or your customers to the extent necessary to manufacture or sell products containing the Products, subject to the terms and conditions herein.

Other Precaution

- 1. This document may not be reprinted or reproduced, in whole or in part, without prior written consent of ROHM.
- 2. The Products may not be disassembled, converted, modified, reproduced or otherwise changed without prior written consent of ROHM.
- In no event shall you use in any way whatsoever the Products and the related technical information contained in the Products or this document for any military purposes, including but not limited to, the development of mass-destruction weapons.
- 4. The proper names of companies or products described in this document are trademarks or registered trademarks of ROHM, its affiliated companies or third parties.

Notice-PAA-E Rev.004

General Precaution

- 1. Before you use our Products, you are requested to carefully read this document and fully understand its contents. ROHM shall not be in any way responsible or liable for failure, malfunction or accident arising from the use of any ROHM's Products against warning, caution or note contained in this document.
- 2. All information contained in this document is current as of the issuing date and subject to change without any prior notice. Before purchasing or using ROHM's Products, please confirm the latest information with a ROHM sales representative.
- 3. The information contained in this document is provided on an "as is" basis and ROHM does not warrant that all information contained in this document is accurate and/or error-free. ROHM shall not be in any way responsible or liable for any damages, expenses or losses incurred by you or third parties resulting from inaccuracy or errors of or concerning such information.

Notice – WE Rev.001