

QC operation sheet

Product	Laser diode
Package	RLD84NZJ2

		Flow chart			Lland aguinmant 9	
Materials	Material	Preparatory	Main	Name of process	Used equipment & machine	Controlled item
	acceptance	process	Prosess		masimis	
LD chip	<u> </u>	1		Acceptance test	Visual	Appearance
Submount		2		Chips preparation	Braking machine Expander	Appearance Air pressure Temperature
		3		Acceptance test	Microscope	Appearance
			4	Die-&wire- bonding(1)	ALDW40	Temperature DB load Ultrasonic power WB load
			5	Measurement	ALDW40	Probe state I-L characteristics I-V characteristics
Stem			6	Inspection(1)	Tension gauge	Wire-pull resistivity Peel-off resistivity
Pin Photo Di Ag paste	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	7		Die-&wire- bonding(0) Inspection(0)	APDW	Temperature Ultrasonic power PD,DB position Wire-pull
	<u> </u>					resistivity Peel-off resistivity
Bondhing agent	<u> </u>		9	Die-&wire- bonding(2)	ASDW	Temperature DB load Ultrasonic power
			10	Inspection(2)	Microscope Tension gauge FFP standard Correct monitorscope	Wire-pull resistivity DB load Facet inclination ⊿XYZ

		Flow chart			Used equipment &	
Materials	Material acceptance	Preparatory process	Main Prosess	Name of process	machine	Controlled item
Сар	T T T T T T T T T T T T T T T T T T T	ргоссоо	11)	Can sealing	AACL	Air pressure N2 pressure Humidity
			12	Inspection for sealing	Cutting nipper Micrometer	Weld strength Weld extrusion
			13	Products burn-in test	Correct monitorscope AATB	Degree of decentering Set temperature
						I-L characteristics (100% test) Temperature
			(14)	Final measurement	ATMS	I-L characteristics
				Marking		I-V characteristics Positional accuracy FFP Wavelength Appearance (100% test)
			15	Appearance check	Microscope	Crazing and dirt of lens Flaws of stem In deposition (100% test)
			16	Quantity treatment	Calculator	Quantity check
			17	Packing		Slip Indication check
			18	Shipment inspection		Outer label and contents check
			19	Packaging		Detailed statement for shipment Packing condition
			20	Shipment		

Notes

- 1) The information contained herein is subject to change without notice.
- Before you use our Products, please contact our sales representative and verify the latest specifications:
- 3) Although ROHM is continuously working to improve product reliability and quality, semiconductors can break down and malfunction due to various factors. Therefore, in order to prevent personal injury or fire arising from failure, please take safety measures such as complying with the derating characteristics, implementing redundant and fire prevention designs, and utilizing backups and fail-safe procedures. ROHM shall have no responsibility for any damages arising out of the use of our Poducts beyond the rating specified by ROHM
- 4) Examples of application circuits, circuit constants and any other information contained herein are provided only to illustrate the standard usage and operations of the Products. The peripheral conditions must be taken into account when designing circuits for mass production.
- 5) The technical information specified herein is intended only to show the typical functions of and examples of application circuits for the Products. ROHM does not grant you, explicitly or implicitly, any license to use or exercise intellectual property or other rights held by ROHM or any other parties. ROHM shall have no responsibility whatsoever for any dispute arising out of the use of such technical information.
- 6) The Products are intended for use in general electronic equipment (i.e. AV/OA devices, communication, consumer systems, gaming/entertainment sets) as well as the applications indicated in this document.
- 7) The Products specified in this document are not designed to be radiation tolerant.
- 8) For use of our Products in applications requiring a high degree of reliability (as exemplified below), please contact and consult with a ROHM representative : transportation equipment (i.e. cars, ships, trains), primary communication equipment, traffic lights, fire/crime prevention, safety equipment, medical systems, servers, solar cells, and power transmission systems.
- 9) Do not use our Products in applications requiring extremely high reliability, such as aerospace equipment, nuclear power control systems, and submarine repeaters.
- 10) ROHM shall have no responsibility for any damages or injury arising from non-compliance with the recommended usage conditions and specifications contained herein.
- 11) ROHM has used reasonable care to ensur the accuracy of the information contained in this document. However, ROHM does not warrants that such information is error-free, and ROHM shall have no responsibility for any damages arising from any inaccuracy or misprint of such information.
- 12) Please use the Products in accordance with any applicable environmental laws and regulations, such as the RoHS Directive. For more details, including RoHS compatibility, please contact a ROHM sales office. ROHM shall have no responsibility for any damages or losses resulting non-compliance with any applicable laws or regulations.
- 13) When providing our Products and technologies contained in this document to other countries, you must abide by the procedures and provisions stipulated in all applicable export laws and regulations, including without limitation the US Export Administration Regulations and the Foreign Exchange and Foreign Trade Act.
- 14) This document, in part or in whole, may not be reprinted or reproduced without prior consent of ROHM.



Thank you for your accessing to ROHM product informations. More detail product informations and catalogs are available, please contact us.

ROHM Customer Support System

http://www.rohm.com/contact/